

SCORM Conformance Test Suite

LMS Run-Time Environment Test Suite Test Results

Course 1 Results

[SCO 1 Results](#)

[SCO 2 Results](#)

[SCO 3 Results](#)

[SCO 4 Results](#)

[SCO 5 Results](#)

[SCO 6 Results](#)

[SCO 7 Results](#)

[SCO 8 Results](#)

[SCO 9 Results](#)

Course 2 Results

[SCO 1 Results](#)

[SCO 2 Results](#)

[SCO 3 Results](#)

i *****

i SCO 01 has been launched.

i *****

i Validating SCO launch sequence.

✓ The SCO has been launched in the appropriate sequence.

i Attempting to call LMSInitialize function

✓ LMSInitialize found.

✓ LMSInitialize completed successfully

i Beginning mandatory data model element test.

✓ LMSGetValue found.

✓ LMSGetValue(cmi.core._children) returned: "student_id,student_name,lesson_location, credit,lesson_status,entry,score,total_time,lesson_mode,exit,session_time"

✓ LMSGetValue(cmi.core.student_id) returned: "2"

✓ LMSGetValue(cmi.core.student_name) returned: "Student, Joe"

✓ LMSSetValue found.

✓ LMSSetValue(cmi.core.lesson_location, "end") succeeded

✓ LMSGetValue(cmi.core.lesson_location) returned: "end"

✓ LMSGetValue(cmi.core.credit) returned: "credit"

- ✓ LMSGetValue(cmi.core.lesson_status) returned: "not attempted"
- ✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded
- ✓ LMSGetValue(cmi.core.lesson_status) returned: "completed"
- ✓ LMSGetValue(cmi.core.entry) returned: "ab-initio"
- ✓ LMSGetValue(cmi.core.score._children) returned: "raw,max,min"
- ✓ LMSSetValue(cmi.core.score.raw, "0") succeeded
- ✓ LMSGetValue(cmi.core.score.raw) returned: "0"
- ✓ LMSSetValue(cmi.core.session_time, "00:01:00") succeeded
- ✓ LMSSetValue(cmi.core.exit, "") succeeded
- ✓ LMSSetValue(cmi.suspend_data, "none") succeeded
- ✓ LMSGetValue(cmi.suspend_data) returned: "none"
- ✓ LMSGetValue(cmi.launch_data) returned: "SCO1LaunchData"
- ✓ The LMS returned cmi.core.launch_data equal to the <adlcp:datafromlms> value provided in the Content Package for this SCO.

Content Package <adlcp:datafromlms> value: "SCO1LaunchData"

LMS returned: "SCO1LaunchData"

i Attempting to call LMSCommit function

- ✓ LMSCommit found.
- ✓ LMSCommit completed successfully

i Attempting to call LMSFinish function

- ✓ LMSFinish found.
- ✓ LMSFinish completed successfully

i *****

i SCO 02 has been launched.

i *****

i Validating SCO launch sequence.

- ✓ The SCO has been launched in the appropriate sequence.

i Testing API Functions

i Testing LMSInitialize with incorrect parameter value

i Calling LMSInitialize("2")

- ✓ LMSGetLastError found.
- ✓ LMSGetErrorString found.
- ✓ LMSInitailize returned "false" and set the API Error Code to "201" (Invalid argument error) as expected.

- i** Now attempting to call LMSInitialize function correctly.
 - ✔ LMSInitailize returned "true" and set the API Error Code to "0" (No Error)
- i** Attempting to call LMSInitialize again for this SCO
 - ✔ LMSInitialize returned error code "101" (General exception) as expected

- i** Testing LMSSetValue return values and error conditions
 - i** Calling LMSSetValue("cmi.core.score.raw", "10") - (valid call for mandatory data model element)
 - ✔ LMSSetValue returned "true" and set the API Error Code to "0" (No Error)
 - i** Calling LMSSetValue with invalid data model element name
 - i** Attempting LMSSetValue("cmi.core.none", "10") Expecting return value of "false" and error code "201" (Invalid argument error) or "401" (Not implemented error).
 - ✔ LMSSetValue returned "false" and set error code "201" (Invalid argument error)
 - i** Calling LMSSetValue with read-only data model element
 - i** Attempting LMSSetValue("cmi.core.student_id", "10"). Expecting return value of "false" and error code "403" (Element is read only) or "201" (Invalid argument error).
 - ✔ LMSSetValue returned "false" and set error code "403" (Element is read only)
 - i** Calling LMSSetValue with invalid data type for data model element
 - i** Attempting LMSSetValue("cmi.core.exit", "foo"). Expecting return value of "false" and error code "405" (Incorrect Data Type) or "201" (Invalid argument error).
 - ✔ LMSSetValue returned "false" and set error code "405" (Incorrect Data Type)
 - i** Calling LMSSetValue with a reserved element (.children)
 - i** Attempting LMSSetValue("cmi.core.children", "foo"). Expecting return value of "false" and error code "402" (Invalid set value, element is a keyword) or "201" (Invalid argument error), or "403" (Element is read only).
 - ✔ LMSSetValue returned "false" and set error code "402" (Invalid set value, element is a keyword)
 - i** Calling LMSSetValue for list element with illegal non-sequential index value
 - i** Attempting LMSSetValue("cmi.objectives.9.id", "O09"). Expecting return value of "false" and error code "201" (Invalid argument error) or "401" (Not implemented).
 - ✔ LMSSetValue returned "false" and set error code "201" (Invalid argument error)
 - i** Attempting LMSSetValue("cmi.core.lesson_status", "not attempted"). Expecting return value of "false" and error code "405" (Incorrect data type) or "201" (Invalid argument error)
 - ✔ LMSSetValue returned "false" and set error code "405" (Incorrect Data Type)

- i** Testing LMSSetValue return values and error conditions
 - i** Calling LMSSetValue with invalid data model element name.
 - i** Attempting LMSSetValue("cmi.core.none") Expecting error code "201" (Invalid argument

error) or "401" (Not implemented error).

- ✓ LMSGetValue returned "" and set error code "201" (Invalid argument error)
- i** Calling LMSGetValue with write-only data model element.
- i** Attempting LMSGetValue("cmi.core.session_time") Expecting error code "404" (Element is write only) or "201" (Invalid argument error).
- ✓ LMSGetValue returned "" and set error code "404" (Element is write only)
- i** Calling LMSGetValue for _children on data model category that has no children
- i** Attempting LMSGetValue("cmi.launch_data._children") Expecting error code "202" (Element cannot have children) or "201" (Invalid argument error).
- ✓ LMSGetValue returned "" and set error code "202" (Element cannot have children)
- i** Calling LMSGetValue for _count on data model element that is not an array/list
- i** Attempting LMSGetValue("cmi.launch_data._count") Expecting error code "203" (Element not an array - Cannot have count) or "201" (Invalid argument error).
- ✓ LMSGetValue returned "" and set error code "203" (Element not an array - Cannot have count)
- i** Testing LMSGetErrorString and LMSGetDiagnostic return values
- ✓ LMSGetErrorString("0") returned: "No Error" as expected.
- ✓ LMSGetDiagnostic found.
- ✓ LMSGetDiagnostic("0") returned: "No Error"
- ✓ LMSGetErrorString("101") returned: "General Exception" as expected.
- ✓ LMSGetDiagnostic("101") returned: "General Exception"
- ✓ LMSGetErrorString("201") returned: "Invalid argument error" as expected.
- ✓ LMSGetDiagnostic("201") returned: "Invalid argument error"
- ✓ LMSGetErrorString("202") returned: "Element cannot have children" as expected.
- ✓ LMSGetDiagnostic("202") returned: "Element cannot have children"
- ✓ LMSGetErrorString("203") returned: "Element not an array - Cannot have count" as expected.
- ✓ LMSGetDiagnostic("203") returned: "Element not an array - Cannot have count"
- ✓ LMSGetErrorString("301") returned: "Not initialized" as expected.
- ✓ LMSGetDiagnostic("301") returned: "Not initialized"
- ✓ LMSGetErrorString("401") returned: "Not implemented error" as expected.
- ✓ LMSGetDiagnostic("401") returned: "Not implemented error"
- ✓ LMSGetErrorString("402") returned: "Invalid set value, element is a keyword" as expected.
- ✓ LMSGetDiagnostic("402") returned: "Invalid set value, element is a keyword"
- ✓ LMSGetErrorString("403") returned: "Element is read only" as expected.

- ✓ LMSGetDiagnostic("403") returned: "Element is read only"
- ✓ LMSGetErrorString("404") returned: "Element is write only" as expected.
- ✓ LMSGetDiagnostic("404") returned: "Element is write only"
- ✓ LMSGetErrorString("405") returned: "Incorrect Data Type" as expected.
- ✓ LMSGetDiagnostic("405") returned: "Incorrect Data Type"
- ✓ LMSGetErrorString("") returned: "" as expected.
- ✓ LMSGetDiagnostic("") returned: ""
- ✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded
- ✓ LMSSetValue(cmi.core.exit, "") succeeded
- ✓ LMSSetValue(cmi.core.session_time, "03:01:39.52") succeeded

i Testing LMSCommit with incorrect parameter value

i Calling LMSCommit("xyz")

- ✓ LMSCommit returned "false" and set the API Error Code to "201" (Invalid argument error) as expected.

i Attempting to call LMSCommit function

- ✓ LMSCommit completed successfully

i Testing LMSFinish with incorrect parameter value

i Calling LMSFinish("yahtzee!")

- ✓ LMSFinish returned "false" and set the API Error Code to "201" (Invalid argument error) as expected.

i Attempting to call LMSFinish function

- ✓ LMSFinish completed successfully

i *****

i SCO 03 has been launched.

i *****

i Validating SCO launch sequence.

- ✓ The SCO has been launched in the appropriate sequence.

i Testing API Functions

i Calling LMSGetLastError() - (prior to calling LMSInitialize)

i Attempting LMSGetLastError(). Expecting return error code value of "0" (No Error).

- ✓ LMSGetLastError returned "0"

- i** Calling `LMSSetValue("cmi.core.score.raw", "10")` - (prior to calling `LMSInitialize`)
 - ✓ `LMSSetValue` returned "false" and set the API Error Code to "301" (Not initialized) as expected
- i** Calling `LMSGetValue("cmi.core.student_id")` - (prior to calling `LMSInitialize`)
 - ✓ `LMSGetValue` returned "" and set the API Error Code to "301" (Not initialized) as expected
- i** Calling `LMSCommit("")` - (prior to calling `LMSInitialize`)
 - ✓ `LMSCommit` returned "false" and set the API Error Code to "301" (Not initialized) as expected
- i** Calling `LMSFinish("")` - (prior to calling `LMSInitialize`)
 - ✓ `LMSFinish` returned "false" and set the API Error Code to "301" (Not initialized) as expected
- i** Attempting to call `LMSInitialize` function
 - ✓ `LMSInitialize` completed successfully
 - ✓ `LMSGetValue(cmi.core.credit)` returned a value that is of the correct datatype: credit
 - ✓ `LMSSetValue(cmi.core.lesson_status, "completed")` succeeded
 - ✓ `LMSSetValue(cmi.core.score.raw, "25")` succeeded
 - ✓ The test course is being taken for "credit"
 - ✓ `LMSSetValue(cmi.core.exit, "")` succeeded
 - ✓ `LMSSetValue(cmi.core.session_time, "03:01:39.52")` succeeded
- i** Attempting to call `LMSCommit` function
 - ✓ `LMSCommit` completed successfully
- i** Attempting to call `LMSFinish` function
 - ✓ `LMSFinish` completed successfully

- i** *****
- i** SCO 04 has been launched.
- i** *****
- i** Validating SCO launch sequence.
 - ✓ The SCO has been launched in the appropriate sequence.
- i** Attempting to call `LMSInitialize` function
 - ✓ `LMSInitialize` completed successfully
 - ✓ `LMSGetValue(cmi.core.entry)` returned a value that is of the correct datatype: ab-initio
 - ✓ `LMSSetValue(cmi.core.lesson_location, "#paragraph3")` succeeded
 - ✓ `LMSSetValue(cmi.core.lesson_status, "incomplete")` succeeded
 - ✓ `LMSSetValue(cmi.core.exit, "logout")` succeeded
 - ✓ `LMSSetValue(cmi.core.session_time, "03:01:39.52")` succeeded
 - ✓ `LMSSetValue(cmi.suspend_data, "A=1,B=2,C=3")` succeeded

i Attempting to call LMSCommit function

✓ LMSCommit completed successfully

i Attempting to call LMSFinish function

✓ LMSFinish completed successfully

i This appears to be the second entry into SCO04

i Attempting to call LMSInitialize function

✓ LMSInitialize completed successfully

i Testing to determine LMS ability to save state for mandatory items across sessions

✓ LMSGetValue(cmi.core.lesson_location) returned a value that is of the correct datatype:

#paragraph3

✓ cmi.core.lesson_location value matches previously set value

✓ LMSGetValue(cmi.suspend_data) returned a value that is of the correct datatype: A=1,B=2,

C=3

✓ cmi.suspend_data value matches previously set value

✓ LMSGetValue(cmi.core.total_time) returned a value that is of the correct datatype:

0003:01:39.52

✓ cmi.core.total_time returned correctly

✓ LMSSetValue(cmi.core.lesson_status, "incomplete") succeeded

✓ LMSSetValue(cmi.core.exit, "suspend") succeeded

✓ LMSSetValue(cmi.core.session_time, "00:12:48.22") succeeded

✓ LMSGetValue(cmi.core.entry) returned a value that is of the correct datatype:

i Attempting to call LMSCommit function

✓ LMSCommit completed successfully

i Attempting to call LMSFinish function

✓ LMSFinish completed successfully

i This appears to be the third entry into SCO04

i Attempting to call LMSInitialize function

✓ LMSInitialize completed successfully

i Testing to determine LMS ability to save state for mandatory items across sessions

✓ LMSGetValue(cmi.core.total_time) returned a value that is of the correct datatype:

0003:14:27.74

✓ cmi.core.total_time returned correctly

✓ LMSGetValue(cmi.core.credit) returned a value that is of the correct datatype: credit

- ✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded
- ✓ LMSSetValue(cmi.core.score.raw, "25") succeeded
- ✓ LMSSetValue(cmi.core.exit, "") succeeded
- i** Attempting to call LMSCommit function
- ✓ LMSCommit completed successfully
- i** Attempting to call LMSFinish function
- ✓ LMSFinish completed successfully

- i** *****
- i** SCO 05 has been launched.
- i** *****
- i** Validating SCO launch sequence.
- ✓ The SCO has been launched in the appropriate sequence.
- i** Attempting to call LMSInitialize function
- ✓ LMSInitialize completed successfully
- i** Beginning data model optional element implementation auditing.
- ✓ LMSSetValue(cmi.core.score.max, "100") succeeded
- ✓ LMSGetValue(cmi.core.score.max) returned: "100"
- ✓ LMSSetValue(cmi.core.score.min, "0") succeeded
- ✓ LMSGetValue(cmi.core.score.min) returned: "0"
- ✓ LMSGetValue(cmi.core.lesson_mode) returned: "normal"
- ✓ LMSSetValue(cmi.comments, "These are my comments") succeeded
- ✓ LMSSetValue(cmi.comments, " These are my comments again") succeeded
- ✓ LMSGetValue(cmi.comments) returned: "These are my comments These are my comments again"
- ✓ LMSGetValue(cmi.comments_from_lms) returned: ""
- ✓ LMSGetValue(cmi.objectives._children) returned: "id,score,status"
- ✓ LMSGetValue(cmi.objectives._count) returned: "0"
- ✓ LMSSetValue(cmi.objectives.0.id, "X990") succeeded
- ✓ LMSGetValue(cmi.objectives.0.id) returned: "X990"
- ✓ LMSGetValue(cmi.objectives.0.score._children) returned: "raw,max,min"
- ✓ LMSSetValue(cmi.objectives.0.score.raw, "75") succeeded
- ✓ LMSGetValue(cmi.objectives.0.score.raw) returned: "75"
- ✓ LMSSetValue(cmi.objectives.0.score.max, "100") succeeded
- ✓ LMSGetValue(cmi.objectives.0.score.max) returned: "100"
- ✓ LMSSetValue(cmi.objectives.0.score.min, "00") succeeded

- ✓ LMSGetValue(cmi.objectives.0.score.min) returned: "00"
- ✓ LMSSetValue(cmi.objectives.0.status, "completed") succeeded
- ✓ LMSGetValue(cmi.objectives.0.status) returned: "completed"
- ✓ LMSSetValue(cmi.objectives.1.id, "X991") succeeded
- ✓ LMSGetValue(cmi.objectives.1.id) returned: "X991"
- ✓ LMSGetValue(cmi.objectives.1.score._children) returned: "raw,max,min"
- ✓ LMSSetValue(cmi.objectives.1.score.raw, "75") succeeded
- ✓ LMSGetValue(cmi.objectives.1.score.raw) returned: "75"
- ✓ LMSSetValue(cmi.objectives.1.score.max, "100") succeeded
- ✓ LMSGetValue(cmi.objectives.1.score.max) returned: "100"
- ✓ LMSSetValue(cmi.objectives.1.score.min, "00") succeeded
- ✓ LMSGetValue(cmi.objectives.1.score.min) returned: "00"
- ✓ LMSSetValue(cmi.objectives.1.status, "completed") succeeded
- ✓ LMSGetValue(cmi.objectives.1.status) returned: "completed"
- ✓ LMSSetValue(cmi.objectives.2.id, "X992") succeeded
- ✓ LMSGetValue(cmi.objectives.2.id) returned: "X992"
- ✓ LMSGetValue(cmi.objectives.2.score._children) returned: "raw,max,min"
- ✓ LMSSetValue(cmi.objectives.2.score.raw, "75") succeeded
- ✓ LMSGetValue(cmi.objectives.2.score.raw) returned: "75"
- ✓ LMSSetValue(cmi.objectives.2.score.max, "100") succeeded
- ✓ LMSGetValue(cmi.objectives.2.score.max) returned: "100"
- ✓ LMSSetValue(cmi.objectives.2.score.min, "00") succeeded
- ✓ LMSGetValue(cmi.objectives.2.score.min) returned: "00"
- ✓ LMSSetValue(cmi.objectives.2.status, "completed") succeeded
- ✓ LMSGetValue(cmi.objectives.2.status) returned: "completed"
- ✓ LMSSetValue(cmi.objectives.3.id, "X993") succeeded
- ✓ LMSGetValue(cmi.objectives.3.id) returned: "X993"
- ✓ LMSGetValue(cmi.objectives.3.score._children) returned: "raw,max,min"
- ✓ LMSSetValue(cmi.objectives.3.score.raw, "75") succeeded
- ✓ LMSGetValue(cmi.objectives.3.score.raw) returned: "75"
- ✓ LMSSetValue(cmi.objectives.3.score.max, "100") succeeded
- ✓ LMSGetValue(cmi.objectives.3.score.max) returned: "100"
- ✓ LMSSetValue(cmi.objectives.3.score.min, "00") succeeded
- ✓ LMSGetValue(cmi.objectives.3.score.min) returned: "00"

- ✓ LMSSetValue(cmi.objectives.3.status, "completed") succeeded
- ✓ LMSGetValue(cmi.objectives.3.status) returned: "completed"
- ✓ LMSGetValue(cmi.objectives._count) returned: "4"
- ✓ LMSGetValue(cmi.student_data._children) returned: "mastery_score,max_time_allowed,time_limit_action"
- ✓ LMSGetValue(cmi.student_data.mastery_score) returned: "80"
- ✓ LMSGetValue(cmi.student_data.max_time_allowed) returned: "00:00:05"
- ✓ LMSGetValue(cmi.student_data.time_limit_action) returned: "continue,message"
- ✓ The cmi.student_data.mastery_score value "80" matches the <masteryscore> defined in the Content Package for this SCO
- ✓ The cmi.student_data.max_time_allowed value "00:00:05" matches the <adlcp:maxtimeallowed> defined in the Content Package for this SCO
- ✓ The cmi.student_data.time_limit_action value "continue,message" matches the <adlcp:timelimitaction> defined in the Content Package for this SCO
- ✓ LMSGetValue(cmi.student_preference._children) returned: "audio,language,speed,text"
- ✓ LMSSetValue(cmi.student_preference.audio, "9") succeeded
- ✓ LMSGetValue(cmi.student_preference.audio) returned: "9"
- ✓ LMSSetValue(cmi.student_preference.language, "US/English") succeeded
- ✓ LMSGetValue(cmi.student_preference.language) returned: "US/English"
- ✓ LMSSetValue(cmi.student_preference.speed, "5") succeeded
- ✓ LMSGetValue(cmi.student_preference.speed) returned: "5"
- ✓ LMSSetValue(cmi.student_preference.text, "1") succeeded
- ✓ LMSGetValue(cmi.student_preference.text) returned: "1"
- ✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded
- ✓ LMSSetValue(cmi.core.exit, "") succeeded
- ✓ LMSSetValue(cmi.core.session_time, "03:01:39.52") succeeded
- i** Attempting to call LMSCommit function
- ✓ LMSCommit completed successfully
- i** Attempting to call LMSFinish function
- ✓ LMSFinish completed successfully

- i** *****
- i** SCO 06 has been launched.
- i** *****
- i** Validating SCO launch sequence.
- ✓ The SCO has been launched in the appropriate sequence.

i Attempting to call LMSInitialize function

✓ LMSInitialize completed successfully

i Beginning cmi.interactions data model element implementation auditing.

✓ LMSGetValue(cmi.interactions._children) returned: "id,objectives,time,type,correct_responses,weighting,student_response,result,latency"

✓ LMSGetValue(cmi.interactions._count) returned: "0"

✓ LMSSetValue(cmi.interactions.0.id, "I000") succeeded

✓ LMSGetValue(cmi.interactions.0.objectives._count) returned: "0"

✓ LMSSetValue(cmi.interactions.0.objectives.0.id, "I0990") succeeded

✓ LMSSetValue(cmi.interactions.0.objectives.1.id, "I0991") succeeded

✓ LMSGetValue(cmi.interactions.0.objectives._count) returned: "2"

✓ LMSSetValue(cmi.interactions.0.time, "00:00:03") succeeded

✓ LMSSetValue(cmi.interactions.0.type, "performance") succeeded

✓ LMSGetValue(cmi.interactions.0.correct_responses._count) returned: "0"

✓ LMSSetValue(cmi.interactions.0.correct_responses.0.pattern, "Alphanumeric Text since type is performance") succeeded

✓ LMSGetValue(cmi.interactions.0.correct_responses._count) returned: "1"

✓ LMSSetValue(cmi.interactions.0.weighting, "10") succeeded

✓ LMSSetValue(cmi.interactions.0.student_response, "Alphanumeric Text since type is performance") succeeded

✓ LMSSetValue(cmi.interactions.0.result, "unanticipated") succeeded

✓ LMSSetValue(cmi.interactions.0.latency, "00:05:00") succeeded

✓ LMSSetValue(cmi.interactions.1.id, "I001") succeeded

✓ LMSGetValue(cmi.interactions.1.objectives._count) returned: "0"

✓ LMSSetValue(cmi.interactions.1.objectives.0.id, "I0990") succeeded

✓ LMSSetValue(cmi.interactions.1.objectives.1.id, "I0991") succeeded

✓ LMSGetValue(cmi.interactions.1.objectives._count) returned: "2"

✓ LMSSetValue(cmi.interactions.1.time, "00:00:03") succeeded

✓ LMSSetValue(cmi.interactions.1.type, "true-false") succeeded

✓ LMSGetValue(cmi.interactions.1.correct_responses._count) returned: "0"

✓ LMSSetValue(cmi.interactions.1.correct_responses.0.pattern, "t") succeeded

✓ LMSGetValue(cmi.interactions.1.correct_responses._count) returned: "1"

✓ LMSSetValue(cmi.interactions.1.weighting, "10") succeeded

✓ LMSSetValue(cmi.interactions.1.student_response, "f") succeeded

✓ LMSSetValue(cmi.interactions.1.result, "wrong") succeeded

- ✓ LMSSetValue(cmi.interactions.1.latency, "00:05:00") succeeded
- ✓ LMSSetValue(cmi.interactions.2.id, "I002") succeeded
- ✓ LMSGetValue(cmi.interactions.2.objectives._count) returned: "0"
- ✓ LMSSetValue(cmi.interactions.2.objectives.0.id, "I0990") succeeded
- ✓ LMSSetValue(cmi.interactions.2.objectives.1.id, "I0991") succeeded
- ✓ LMSGetValue(cmi.interactions.2.objectives._count) returned: "2"
- ✓ LMSSetValue(cmi.interactions.2.time, "00:00:03") succeeded
- ✓ LMSSetValue(cmi.interactions.2.type, "likert") succeeded
- ✓ LMSGetValue(cmi.interactions.2.correct_responses._count) returned: "0"
- ✓ LMSSetValue(cmi.interactions.2.correct_responses.0.pattern, "") succeeded
- ✓ LMSGetValue(cmi.interactions.2.correct_responses._count) returned: "1"
- ✓ LMSSetValue(cmi.interactions.2.weighting, "10") succeeded
- ✓ LMSSetValue(cmi.interactions.2.student_response, "j") succeeded
- ✓ LMSSetValue(cmi.interactions.2.result, "neutral") succeeded
- ✓ LMSSetValue(cmi.interactions.2.latency, "00:05:00") succeeded
- ✓ LMSGetValue(cmi.interactions._count) returned: "3"
- ✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded
- ✓ LMSSetValue(cmi.core.exit, "") succeeded
- ✓ LMSSetValue(cmi.core.session_time, "03:01:39.52") succeeded
- ❗ Attempting to call LMSCommit function
- ✓ LMSCommit completed successfully
- ❗ Attempting to call LMSFinish function
- ✓ LMSFinish completed successfully
- ❗ Attempting to call LMSInitialize function
- ✓ LMSInitialize completed successfully

- ❗ *****
- ❗ SCO 07 has been launched.
- ❗ *****
- ❗ Validating SCO launch sequence.
- ✓ The SCO has been launched in the appropriate sequence.
- ✓ LMSGetValue(cmi.core._children) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.student_id) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.student_name) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.lesson_location) returned expected error code: "0"

- ✓ LMSGetValue(cmi.core.credit) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.lesson_status) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.entry) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.score._children) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.score.raw) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.total_time) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.exit) returned expected error code: "404"
- ✓ LMSGetValue(cmi.core.session_time) returned expected error code: "404"
- ✓ LMSGetValue(cmi.suspend_data) returned expected error code: "0"
- ✓ LMSGetValue(cmi.launch_data) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.score.max) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.score.min) returned expected error code: "0"
- ✓ LMSGetValue(cmi.core.lesson_mode) returned expected error code: "0"
- ✓ LMSGetValue(cmi.comments) returned expected error code: "0"
- ✓ LMSGetValue(cmi.comments_from_lms) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_data._children) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_data.mastery_score) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_data.max_time_allowed) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_data.time_limit_action) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_preference._children) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_preference.audio) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_preference.language) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_preference.speed) returned expected error code: "0"
- ✓ LMSGetValue(cmi.student_preference.text) returned expected error code: "0"
- ✓ LMSGetValue(cmi.interactions._children) returned expected error code: "0"
- ✓ LMSGetValue(cmi.interactions._count) returned expected error code: "0"
- ✓ LMSGetValue(cmi.interactions.0.id) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.1.id) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.objectives._count) returned expected error code: "0"
- ✓ LMSGetValue(cmi.interactions.0.objectives.0.id) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.2.objectives.0.id) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.time) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.2.time) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.type) returned expected error code: "404"

- ✓ LMSGetValue(cmi.interactions.1.type) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.correct_responses._count) returned expected error code: "0"
- ✓ LMSGetValue(cmi.interactions.0.correct_responses.0.pattern) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.1.correct_responses.1.pattern) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.2.correct_responses.0.pattern) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.weighting) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.1.weighting) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.student_response) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.1.student_response) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.result) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.2.result) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.0.latency) returned expected error code: "404"
- ✓ LMSGetValue(cmi.interactions.2.latency) returned expected error code: "404"
- ✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded
- ✓ LMSSetValue(cmi.core.exit, "") succeeded
- ✓ LMSSetValue(cmi.core.session_time, "03:01:39.52") succeeded
- i** Attempting to call LMSCommit function
- ✓ LMSCommit completed successfully
- i** Attempting to call LMSFinish function
- ✓ LMSFinish completed successfully
- i** Attempting to call LMSInitialize function
- ✓ LMSInitialize completed successfully

- i** *****
- i** SCO 08 has been launched.
- i** *****
- i** Validating SCO launch sequence.
- ✓ The SCO has been launched in the appropriate sequence.
- ✓ LMSSetValue(cmi.core._children) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.core.student_id) returned expected error code: "403". Condition tested: Called LMSSetValue

- ✔ LMSSetValue(cmi.core.student_name) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✔ LMSSetValue(cmi.core.lesson_location) completed successfully. Condition tested: Valid CMISString255: "(A Blank String). Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_location) completed successfully. Condition tested: Valid CMISString255: 1 Character. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_location) completed successfully. Condition tested: Valid CMISString255: 25 Characters. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_location) completed successfully. Condition tested: Valid CMISString255: 255 Characters. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_location) returned expected error code: "405". Condition tested: Invalid CMISString255: 256 Characters
- ✔ LMSSetValue(cmi.core.lesson_location) returned expected error code: "405". Condition tested: Invalid CMISString255: 500 Characters
- ✔ LMSSetValue(cmi.core.credit) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✔ LMSSetValue(cmi.core.lesson_status) completed successfully. Condition tested: Valid CMIVocabulary: 'passed'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_status) completed successfully. Condition tested: Valid CMIVocabulary: 'completed'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_status) completed successfully. Condition tested: Valid CMIVocabulary: 'failed'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_status) completed successfully. Condition tested: Valid CMIVocabulary: 'incomplete'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_status) completed successfully. Condition tested: Valid CMIVocabulary: 'browsed'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.core.lesson_status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'not attempted'
- ✔ LMSSetValue(cmi.core.lesson_status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'NA'
- ✔ LMSSetValue(cmi.core.lesson_status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'status set to completed'
- ✔ LMSSetValue(cmi.core.lesson_status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'Passed'
- ✔ LMSSetValue(cmi.core.entry) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✔ LMSSetValue(cmi.core.score._children) returned expected error code: "402". Condition

tested: Called LMSSetValue

- ✓ LMSSetValue(cmi.core.score.raw) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.raw) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.raw) completed successfully. Condition tested: '99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.raw) completed successfully. Condition tested: '100'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.raw) returned expected error code: "405". Condition tested: '-99'
- ✓ LMSSetValue(cmi.core.score.raw) returned expected error code: "405". Condition tested: '-90.99'
- ✓ LMSSetValue(cmi.core.score.raw) returned expected error code: "405". Condition tested: 'one hundred' - written out
- ✓ LMSSetValue(cmi.core.total_time) returned expected error code: "403". Condition tested: Called LMSSetValue

Called LMSSetValue

- ✓ LMSSetValue(cmi.core.exit) completed successfully. Condition tested: Valid CMIVocabulary: 'time-out'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.exit) completed successfully. Condition tested: Valid CMIVocabulary: 'suspend'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.exit) completed successfully. Condition tested: Valid CMIVocabulary: 'logout'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.exit) completed successfully. Condition tested: Empty String. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.exit) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'Suspend'
- ✓ LMSSetValue(cmi.core.exit) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'LOGOUT'
- ✓ LMSSetValue(cmi.core.exit) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'T'
- ✓ LMSSetValue(cmi.core.exit) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'timeout'
- ✓ LMSSetValue(cmi.core.exit) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'timeou'
- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '0000:03:45.5'. Returned expected error code: "0"

- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '1121:03:40'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '1121:00:40'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '0000:00:40'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '0000:00:40.5'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '0000:00:00'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '30:30:40'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.session_time) completed successfully. Condition tested: Valid CMITimespan '30:99:40'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.session_time) returned expected error code: "405". Condition tested: Invalid CMITimespan '3 hours'
- ✓ LMSSetValue(cmi.core.session_time) returned expected error code: "405". Condition tested: Invalid CMITimespan '33330:30:40'
- ✓ LMSSetValue(cmi.core.session_time) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:330:40'
- ✓ LMSSetValue(cmi.core.session_time) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:30:40 seconds'
- ✓ LMSSetValue(cmi.core.session_time) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:30:1.34'
- ✓ LMSSetValue(cmi.core.session_time) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:30:1.344545'
- ✓ LMSSetValue(cmi.suspend_data) completed successfully. Condition tested: Valid CMISString4096: "(A Blank String)". Returned expected error code: "0"
- ✓ LMSSetValue(cmi.suspend_data) completed successfully. Condition tested: Valid CMISString4096: 1 Character. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.suspend_data) completed successfully. Condition tested: Valid CMISString4096: 25 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.suspend_data) completed successfully. Condition tested: Valid CMISString4096: 4096 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.suspend_data) returned expected error code: "405". Condition tested: Invalid CMISString4096: 4097 Characters
- ✓ LMSSetValue(cmi.suspend_data) returned expected error code: "405". Condition tested:

Invalid CMIStrng4096: 5000 Characters

- ✓ LMSSetValue(cmi.launch_data) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.core.score.max) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.max) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.max) completed successfully. Condition tested: '99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.max) completed successfully. Condition tested: '100'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.max) returned expected error code: "405". Condition tested: '-99'
- ✓ LMSSetValue(cmi.core.score.max) returned expected error code: "405". Condition tested: '-90.99'
- ✓ LMSSetValue(cmi.core.score.max) returned expected error code: "405". Condition tested: 'one hundred' - written out
- ✓ LMSSetValue(cmi.core.score.min) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.min) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.min) completed successfully. Condition tested: '99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.min) completed successfully. Condition tested: '100'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.core.score.min) returned expected error code: "405". Condition tested: '-99'
- ✓ LMSSetValue(cmi.core.score.min) returned expected error code: "405". Condition tested: '-90.99'
- ✓ LMSSetValue(cmi.core.score.min) returned expected error code: "405". Condition tested: 'one hundred' - written out
- ✓ LMSSetValue(cmi.core.lesson_mode) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.comments) completed successfully. Condition tested: Valid CMIStrng4096: "(A Blank String)". Returned expected error code: "0"
- ✓ LMSSetValue(cmi.comments) completed successfully. Condition tested: Valid CMIStrng4096: 4096 Characters. Returned expected error code: "0"

- ✓ LMSSetValue(cmi.comments) returned expected error code: "405". Condition tested: Invalid CMIStrng4096: 4097 Characters
- ✓ LMSSetValue(cmi.comments_from_lms) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.objectives._children) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.objectives._count) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 1 Character. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 25 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 255 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier "(A Blank String)
- ✓ LMSSetValue(cmi.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 256 Characters
- ✓ LMSSetValue(cmi.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 500 Characters
- ✓ LMSSetValue(cmi.objectives.1.id) completed successfully. Condition tested: Valid CMIIentifier 1 Character. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.objectives.1.id) completed successfully. Condition tested: Valid CMIIentifier 25 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.objectives.1.id) completed successfully. Condition tested: Valid CMIIentifier 255 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.objectives.1.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier "(A Blank String)
- ✓ LMSSetValue(cmi.objectives.1.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 256 Characters
- ✓ LMSSetValue(cmi.objectives.1.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 500 Characters
- ✓ LMSSetValue(cmi.objectives.0.score._children) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.objectives.1.score._children) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.objectives.0.score.raw) completed successfully. Condition tested: '0'.

Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.raw) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.raw) completed successfully. Condition tested: '99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.raw) completed successfully. Condition tested: '100'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.raw) returned expected error code: "405". Condition tested: '-99'

✓ LMSSetValue(cmi.objectives.0.score.raw) returned expected error code: "405". Condition tested: '-90.99'

✓ LMSSetValue(cmi.objectives.0.score.raw) returned expected error code: "405". Condition tested: 'one hundred' - written out

✓ LMSSetValue(cmi.objectives.1.score.raw) completed successfully. Condition tested: '0'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.score.raw) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.score.raw) completed successfully. Condition tested: '99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.score.raw) completed successfully. Condition tested: '100'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.score.raw) returned expected error code: "405". Condition tested: '-99'

✓ LMSSetValue(cmi.objectives.1.score.raw) returned expected error code: "405". Condition tested: '-90.99'

✓ LMSSetValue(cmi.objectives.1.score.raw) returned expected error code: "405". Condition tested: 'one hundred' - written out

✓ LMSSetValue(cmi.objectives.0.score.max) completed successfully. Condition tested: '0'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.max) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.max) completed successfully. Condition tested: '99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.max) completed successfully. Condition tested: '100'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.score.max) returned expected error code: "405". Condition tested: '-99'

- ✔ LMSSetValue(cmi.objectives.0.score.max) returned expected error code: "405". Condition tested: '-90.99'
- ✔ LMSSetValue(cmi.objectives.0.score.max) returned expected error code: "405". Condition tested: 'one hundred' - written out
- ✔ LMSSetValue(cmi.objectives.1.score.max) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.1.score.max) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.1.score.max) completed successfully. Condition tested: '99'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.1.score.max) completed successfully. Condition tested: '100'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.1.score.max) returned expected error code: "405". Condition tested: '-99'
- ✔ LMSSetValue(cmi.objectives.1.score.max) returned expected error code: "405". Condition tested: '-90.99'
- ✔ LMSSetValue(cmi.objectives.1.score.max) returned expected error code: "405". Condition tested: 'one hundred' - written out
- ✔ LMSSetValue(cmi.objectives.0.score.min) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.0.score.min) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.0.score.min) completed successfully. Condition tested: '99'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.0.score.min) completed successfully. Condition tested: '100'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.0.score.min) returned expected error code: "405". Condition tested: '-99'
- ✔ LMSSetValue(cmi.objectives.0.score.min) returned expected error code: "405". Condition tested: '-90.99'
- ✔ LMSSetValue(cmi.objectives.0.score.min) returned expected error code: "405". Condition tested: 'one hundred' - written out
- ✔ LMSSetValue(cmi.objectives.2.score.min) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.2.score.min) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.objectives.2.score.min) completed successfully. Condition tested: '99'.

Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.2.score.min) completed successfully. Condition tested: '100'.

Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.2.score.min) returned expected error code: "405". Condition tested: '-99'

✓ LMSSetValue(cmi.objectives.2.score.min) returned expected error code: "405". Condition tested: '-90.99'

✓ LMSSetValue(cmi.objectives.2.score.min) returned expected error code: "405". Condition tested: 'one hundred' - written out

✓ LMSSetValue(cmi.objectives.0.status) completed successfully. Condition tested: Valid CMIVocabulary: 'passed'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.status) completed successfully. Condition tested: Valid CMIVocabulary: 'completed'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.status) completed successfully. Condition tested: Valid CMIVocabulary: 'failed'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.status) completed successfully. Condition tested: Valid CMIVocabulary: 'incomplete'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.status) completed successfully. Condition tested: Valid CMIVocabulary: 'browsed'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.status) completed successfully. Condition tested: Valid CMIVocabulary: 'not attempted'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.0.status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'NA'

✓ LMSSetValue(cmi.objectives.0.status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'status set to completed'

✓ LMSSetValue(cmi.objectives.0.status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'Passed'

✓ LMSSetValue(cmi.objectives.1.status) completed successfully. Condition tested: Valid CMIVocabulary: 'passed'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.status) completed successfully. Condition tested: Valid CMIVocabulary: 'completed'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.status) completed successfully. Condition tested: Valid CMIVocabulary: 'failed'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.status) completed successfully. Condition tested: Valid CMIVocabulary: 'incomplete'. Returned expected error code: "0"

✓ LMSSetValue(cmi.objectives.1.status) completed successfully. Condition tested: Valid CMIVocabulary: 'browsed'. Returned expected error code: "0"

- ✓ LMSSetValue(cmi.objectives.1.status) completed successfully. Condition tested: Valid CMIVocabulary: 'not attempted'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.objectives.1.status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'NA'
- ✓ LMSSetValue(cmi.objectives.1.status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'status set to completed'
- ✓ LMSSetValue(cmi.objectives.1.status) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'Passed'
- ✓ LMSSetValue(cmi.student_data._children) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.student_data.mastery_score) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.student_data.max_time_allowed) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.student_data.time_limit_action) returned expected error code: "403". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.student_preference._children) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.student_preference.audio) completed successfully. Condition tested: '-1'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.student_preference.audio) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.student_preference.audio) completed successfully. Condition tested: '100'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405". Condition tested: '-2'
- ✓ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405". Condition tested: '101'
- ✓ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405". Condition tested: '32769'
- ✓ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405". Condition tested: '-32769'
- ✓ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405". Condition tested: '50000'
- ✓ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405". Condition tested: '-50000'
- ✓ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405".

Condition tested: 'Empty String'

✔ LMSSetValue(cmi.student_preference.audio) returned expected error code: "405".

Condition tested: 'Foo'

✔ LMSSetValue(cmi.student_preference.language) completed successfully. Condition tested: Valid CMISString255: "(A Blank String). Returned expected error code: "0"

✔ LMSSetValue(cmi.student_preference.language) completed successfully. Condition tested: Valid CMISString255: 1 Character. Returned expected error code: "0"

✔ LMSSetValue(cmi.student_preference.language) completed successfully. Condition tested: Valid CMISString255: 25 Characters. Returned expected error code: "0"

✔ LMSSetValue(cmi.student_preference.language) completed successfully. Condition tested: Valid CMISString255: 255 Characters. Returned expected error code: "0"

✔ LMSSetValue(cmi.student_preference.language) returned expected error code: "405".

Condition tested: Invalid CMISString255: 256 Characters

✔ LMSSetValue(cmi.student_preference.language) returned expected error code: "405".

Condition tested: Invalid CMISString255: 500 Characters

✔ LMSSetValue(cmi.student_preference.speed) completed successfully. Condition tested: '-100'. Returned expected error code: "0"

✔ LMSSetValue(cmi.student_preference.speed) completed successfully. Condition tested: '0'. Returned expected error code: "0"

✔ LMSSetValue(cmi.student_preference.speed) completed successfully. Condition tested: '100'. Returned expected error code: "0"

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: '-101'

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: '101'

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: '32769'

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: '-32769'

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: '50000'

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: '-50000'

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: 'Empty String'

✔ LMSSetValue(cmi.student_preference.speed) returned expected error code: "405".

Condition tested: 'Foo'

- ✓ LMSSetValue(cmi.student_preference.text) completed successfully. Condition tested: '-1'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.student_preference.text) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.student_preference.text) completed successfully. Condition tested: '1'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: '-2'
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: '2'
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: '32769'
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: '-32769'
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: '50000'
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: '-50000'
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: 'Empty String'
- ✓ LMSSetValue(cmi.student_preference.text) returned expected error code: "405". Condition tested: 'Foo'
- ✓ LMSSetValue(cmi.interactions._children) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.interactions._count) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.interactions.0.id) completed successfully. Condition tested: Valid CMIIentifier 1 Character. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.id) completed successfully. Condition tested: Valid CMIIentifier 25 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.id) completed successfully. Condition tested: Valid CMIIentifier 255 Characters. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier "(A Blank String)
- ✓ LMSSetValue(cmi.interactions.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 256 Characters
- ✓ LMSSetValue(cmi.interactions.0.id) returned expected error code: "405". Condition tested:

Invalid CMIIentifier 500 Characters

✓ LMSSetValue(cmi.interactions.1.id) completed successfully. Condition tested: Valid CMIIentifier 1 Character. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.id) completed successfully. Condition tested: Valid CMIIentifier 25 Characters. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.id) completed successfully. Condition tested: Valid CMIIentifier 255 Characters. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier "(A Blank String)

✓ LMSSetValue(cmi.interactions.1.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 256 Characters

✓ LMSSetValue(cmi.interactions.1.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 500 Characters

✓ LMSSetValue(cmi.interactions.0.objectives._count) returned expected error code: "402". Condition tested: Called LMSSetValue

✓ LMSSetValue(cmi.interactions.1.objectives._count) returned expected error code: "402". Condition tested: Called LMSSetValue

✓ LMSSetValue(cmi.interactions.0.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 1 Character. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 25 Characters. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 255 Characters. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier "(A Blank String)

✓ LMSSetValue(cmi.interactions.0.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 256 Characters

✓ LMSSetValue(cmi.interactions.0.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 500 Characters

✓ LMSSetValue(cmi.interactions.1.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 1 Character. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 25 Characters. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.objectives.0.id) completed successfully. Condition tested: Valid CMIIentifier 255 Characters. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier "(A Blank String)

- ✔ LMSSetValue(cmi.interactions.1.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 256 Characters
- ✔ LMSSetValue(cmi.interactions.1.objectives.0.id) returned expected error code: "405". Condition tested: Invalid CMIIentifier 500 Characters
- ✔ LMSSetValue(cmi.interactions.0.time) completed successfully. Condition tested: Valid CMITime '23:03:33.4'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.time) completed successfully. Condition tested: Valid CMITime '00:00:00'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.time) completed successfully. Condition tested: Valid CMITime '00:00:00.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.time) completed successfully. Condition tested: Valid CMITime '00:00:35.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.time) completed successfully. Condition tested: Valid CMITime '00:10:35.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.time) returned expected error code: "405". Condition tested: Invalid CMITime '99:03:33.4'
- ✔ LMSSetValue(cmi.interactions.0.time) returned expected error code: "405". Condition tested: Invalid CMITime '12:99:33.4'
- ✔ LMSSetValue(cmi.interactions.0.time) returned expected error code: "405". Condition tested: Invalid CMITime '12:99:3 seconds'
- ✔ LMSSetValue(cmi.interactions.0.time) returned expected error code: "405". Condition tested: Invalid CMITime '9812:99:33.4'
- ✔ LMSSetValue(cmi.interactions.2.time) completed successfully. Condition tested: Valid CMITime '23:03:33.4'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.time) completed successfully. Condition tested: Valid CMITime '00:00:00'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.time) completed successfully. Condition tested: Valid CMITime '00:00:00.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.time) completed successfully. Condition tested: Valid CMITime '00:00:35.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.time) completed successfully. Condition tested: Valid CMITime '00:10:35.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.time) returned expected error code: "405". Condition tested: Invalid CMITime '99:03:33.4'
- ✔ LMSSetValue(cmi.interactions.2.time) returned expected error code: "405". Condition tested: Invalid CMITime '12:99:33.4'
- ✔ LMSSetValue(cmi.interactions.2.time) returned expected error code: "405". Condition

tested: Invalid CMITime '12:99:3 seconds'

✔ LMSSetValue(cmi.interactions.2.time) returned expected error code: "405". Condition tested: Invalid CMITime '9812:99:33.4'

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'true-false'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'choice'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'numeric'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'matching'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'performance'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'sequencing'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'likert'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) completed successfully. Condition tested: Valid CMIVocabulary: 'fill-in'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.0.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'TF'

✔ LMSSetValue(cmi.interactions.0.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'status set to choice'

✔ LMSSetValue(cmi.interactions.0.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: "(Empty String)"

✔ LMSSetValue(cmi.interactions.0.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'Numeric'

✔ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'true-false'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'choice'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'numeric'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'matching'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'performance'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'performance'. Returned expected error code: "0"

- ✓ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'sequencing'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'likert'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.1.type) completed successfully. Condition tested: Valid CMIVocabulary: 'fill-in'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.1.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'TF'
- ✓ LMSSetValue(cmi.interactions.1.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'status set to choice'
- ✓ LMSSetValue(cmi.interactions.1.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: "(Empty String)"
- ✓ LMSSetValue(cmi.interactions.1.type) returned expected error code: "405". Condition tested: Invalid CMIVocabulary: 'Numeric'
- ✓ LMSSetValue(cmi.interactions.0.correct_responses._count) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.interactions.1.correct_responses._count) returned expected error code: "402". Condition tested: Called LMSSetValue
- ✓ LMSSetValue(cmi.interactions.0.correct_responses.0.pattern) completed successfully. Condition tested: Valid CMIFeedback. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.correct_responses.5.pattern) returned expected error code: "201". Condition tested: Invalid CMIFeedback - not sequential
- ✓ LMSSetValue(cmi.interactions.0.weighting) completed successfully. Condition tested: '0'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.weighting) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.weighting) completed successfully. Condition tested: '99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.weighting) completed successfully. Condition tested: '100'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.weighting) completed successfully. Condition tested: '-99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.weighting) completed successfully. Condition tested: '-90.99'. Returned expected error code: "0"
- ✓ LMSSetValue(cmi.interactions.0.weighting) returned expected error code: "405". Condition tested: 'one hundred' - written out
- ✓ LMSSetValue(cmi.interactions.1.weighting) completed successfully. Condition tested: '0'.

Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.weighting) completed successfully. Condition tested: '90.99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.weighting) completed successfully. Condition tested: '99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.weighting) completed successfully. Condition tested: '100'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.weighting) completed successfully. Condition tested: '-99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.weighting) completed successfully. Condition tested: '-90.99'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.1.weighting) returned expected error code: "405". Condition tested: 'one hundred' - written out

✓ LMSSetValue(cmi.interactions.0.student_response) completed successfully. Condition tested: Valid CMIFeedback. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.5.student_response) returned expected error code: "201". Condition tested: Invalid CMIFeedback - not sequential

✓ LMSSetValue(cmi.interactions.0.result) completed successfully. Condition tested: Valid CMIVocabulary 'correct'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.result) completed successfully. Condition tested: Valid CMIVocabulary 'wrong'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.result) completed successfully. Condition tested: Valid CMIVocabulary 'unanticipated'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.result) completed successfully. Condition tested: Valid CMIVocabulary 'neutral'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.result) completed successfully. Condition tested: Valid CMIVocabulary, a decimal value '95.5'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.0.result) returned expected error code: "405". Condition tested: Invalid CMIVocabulary 'C'

✓ LMSSetValue(cmi.interactions.0.result) returned expected error code: "405". Condition tested: Invalid CMIVocabulary 'WRONG'

✓ LMSSetValue(cmi.interactions.0.result) returned expected error code: "405". Condition tested: Invalid CMIVocabulary 'UNanticipated'

✓ LMSSetValue(cmi.interactions.2.result) completed successfully. Condition tested: Valid CMIVocabulary 'correct'. Returned expected error code: "0"

✓ LMSSetValue(cmi.interactions.2.result) completed successfully. Condition tested: Valid CMIVocabulary 'wrong'. Returned expected error code: "0"

- ✔ LMSSetValue(cmi.interactions.2.result) completed successfully. Condition tested: Valid CMIVocabulary 'unanticipated'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.result) completed successfully. Condition tested: Valid CMIVocabulary 'neutral'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.result) completed successfully. Condition tested: Valid CMIVocabulary, a decimal value '95.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.2.result) returned expected error code: "405". Condition tested: Invalid CMIVocabulary 'C'
- ✔ LMSSetValue(cmi.interactions.2.result) returned expected error code: "405". Condition tested: Invalid CMIVocabulary 'WRONG'
- ✔ LMSSetValue(cmi.interactions.2.result) returned expected error code: "405". Condition tested: Invalid CMIVocabulary 'UNanticipated'
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '0000:03:45.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '1121:03:40'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '1121:00:40'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '0000:00:40'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '0000:00:40.5'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '0000:00:00'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '30:30:40'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) completed successfully. Condition tested: Valid CMITimespan '30:99:40'. Returned expected error code: "0"
- ✔ LMSSetValue(cmi.interactions.0.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3 hours'
- ✔ LMSSetValue(cmi.interactions.0.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '33330:30:40'
- ✔ LMSSetValue(cmi.interactions.0.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:330:40'
- ✔ LMSSetValue(cmi.interactions.0.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:30:40 seconds'
- ✔ LMSSetValue(cmi.interactions.0.latency) returned expected error code: "405". Condition

tested: Invalid CMITimespan '3330:30:1.34'

✔ LMSSetValue(cmi.interactions.0.latency) returned expected error code: "405". Condition

tested: Invalid CMITimespan '3330:30:1.344545'

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '0000:03:45.5'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '1121:03:40'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '1121:00:40'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '0000:00:40'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '0000:00:40.5'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '0000:00:00'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '30:30:40'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) completed successfully. Condition tested: Valid CMITimespan '30:99:40'. Returned expected error code: "0"

✔ LMSSetValue(cmi.interactions.2.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3 hours'

✔ LMSSetValue(cmi.interactions.2.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '33330:30:40'

✔ LMSSetValue(cmi.interactions.2.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:330:40'

✔ LMSSetValue(cmi.interactions.2.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:30:40 seconds'

✔ LMSSetValue(cmi.interactions.2.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:30:1.34'

✔ LMSSetValue(cmi.interactions.2.latency) returned expected error code: "405". Condition tested: Invalid CMITimespan '3330:30:1.344545'

✔ LMSSetValue(cmi.core.lesson_status, "completed") succeeded

✔ LMSSetValue(cmi.core.exit, "") succeeded

✔ LMSSetValue(cmi.core.session_time, "03:01:39.52") succeeded

i Attempting to call LMSCommit function

✔ LMSCommit completed successfully

i Attempting to call LMSFinish function

✓ LMSFinish completed successfully

i *****

i SCO 09 has been launched.

i *****

i Validating SCO launch sequence.

✓ The SCO has been launched in the appropriate sequence.

i Attempting to call LMSInitialize function

✓ LMSInitialize completed successfully

✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded

✓ LMSSetValue(cmi.core.exit, "") succeeded

✓ LMSSetValue(cmi.core.session_time, "00:00:30") succeeded

i Attempting to call LMSFinish function

✓ LMSFinish completed successfully

i *****

i SCO 01 has been launched.

i *****

i Validating SCO launch sequence.

✓ The SCO has been launched in the appropriate sequence.

i Attempting to call LMSInitialize function

✓ LMSInitialize completed successfully

✓ LMSGetValue(cmi.core.student_name) returned a value that is of the correct datatype:
Learner, Mary

✓ LMSGetValue(cmi.core.credit) returned a value that is of the correct datatype: no-credit

✓ LMSGetValue(cmi.core.lesson_mode) returned a value that is of the correct datatype:
browse

✓ LMSGetValue(cmi.launch_data) returned a value that is of the correct datatype: SCO01
Launch Data

✓ The LMS returned cmi.core.launch_data equal to the <adlcp:datafromlms> value provided
in the Content Package for this SCO.

Content Package <adlcp:datafromlms> value: "SCO01 Launch Data"

LMS returned: "SCO01 Launch Data"

✓ LMSGetValue(cmi.student_data.mastery_score) returned a value that is of the correct
datatype: 70

✓ The cmi.student_data.mastery_score value "70" matches the <adlcp:masteryscore> defined
in the Content Package for this SCO

- ✔ LMSGetValue(cmi.student_data.max_time_allowed) returned a value that is of the correct datatype: 00:00:05
- ✔ The cmi.student_data.max_time_allowed value "00:00:05" matches the <adlcp:maxtimeallowed> defined in the Content Package for this SCO
- ✔ LMSGetValue(cmi.student_data.time_limit_action) returned a value that is of the correct datatype: continue,message
- ✔ The cmi.student_data.time_limit_action value "continue,message" matches the <adlcp:timelimitaction> defined in the Content Package for this SCO
- ✔ LMSSetValue(cmi.core.lesson_status, "completed") succeeded
- ✔ LMSSetValue(cmi.core.exit, "") succeeded
- ✔ LMSSetValue(cmi.core.session_time, "00:00:30") succeeded
- ❗ Attempting to call LMSCommit function
- ✔ LMSCommit completed successfully
- ❗ Attempting to call LMSFinish function
- ✔ LMSFinish completed successfully

- ❗ *****
- ❗ SCO 02 has been launched.
- ❗ *****
- ❗ Validating SCO launch sequence.
- ✔ The SCO has been launched in the appropriate sequence.
- ❗ Attempting to call LMSInitialize function
- ✔ LMSInitialize completed successfully
- ✔ LMSGetValue(cmi.core.credit) returned a value that is of the correct datatype: no-credit
- ✔ LMSGetValue(cmi.core.lesson_mode) returned a value that is of the correct datatype: browse
- ✔ LMSSetValue(cmi.core.lesson_location, "#paragraph3") succeeded
- ✔ LMSSetValue(cmi.core.lesson_status, "incomplete") succeeded
- ✔ LMSSetValue(cmi.core.exit, "logout") succeeded
- ✔ LMSSetValue(cmi.core.session_time, "00:05:20.31") succeeded
- ✔ LMSSetValue(cmi.suspend_data, "A=1,B=2,C=3") succeeded
- ❗ Attempting to call LMSFinish function
- ✔ LMSFinish completed successfully

- ❗ This appears to be the second entry into SCO02
- ❗ Attempting to call LMSInitialize function

✓ LMSInitialize completed successfully

i Testing to determine LMS ability to save state for mandatory items across sessions

✓ LMSGetValue(cmi.core.lesson_location) returned a value that is of the correct datatype:

#paragraph3

✓ cmi.core.lesson_location value matches previously set value

✓ LMSGetValue(cmi.suspend_data) returned a value that is of the correct datatype: A=1,B=2,

C=3

✓ cmi.suspend_data value matches previously set value

✓ LMSGetValue(cmi.core.credit) returned a value that is of the correct datatype: no-credit

✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded

✓ LMSSetValue(cmi.core.exit, "") succeeded

✓ LMSSetValue(cmi.core.session_time, "03:01:39.52") succeeded

i Attempting to call LMSFinish function

✓ LMSFinish completed successfully

i *****

i SCO 03 has been launched.

i *****

i Validating SCO launch sequence.

✓ The SCO has been launched in the appropriate sequence.

i Attempting to call LMSInitialize function

✓ LMSInitialize completed successfully

✓ LMSSetValue(cmi.core.lesson_status, "completed") succeeded

✓ LMSSetValue(cmi.core.exit, "") succeeded

✓ LMSSetValue(cmi.core.session_time, "00:00:30") succeeded

i Attempting to call LMSFinish function

✓ LMSFinish completed successfully